


## Speedy Series

Laser Engraving Systems Profitability by Design



SETTING NEW STANDARDS

## Why Speedy?

Speedy represents the pinnacle of laser cutting technology, carefully designed by industry experts to meet the demands of professionals.

Whether your requirements involve intricate single-piece projects or large-scale production runs, Speedy offers a range of working area options, from  $457 \times 305$  mm ( $16 \times 12$  in) to an expansive  $1016 \times 610$  mm ( $40 \times 24$  in). What truly sets Speedy apart, however, is its unmatched engraving speed, making it the preferred choice for demanding users in fields such as personalization, education, and industrial applications.

### Why should you buy a Speedy from Trotec?

The Speedy series embodies productivity, adaptability, and user-friendliness. When you invest in a Trotec Speedy, you are choosing an Austrian-engineered laser system that comes with comprehensive support from your local Trotec team, all at a competitive price point.



### A comprehensive business solution

Trotec provides an all-inclusive package, including the laser system, software, exhaust, materials, and service, allowing you to focus on your core operations.

### Unrivaled cutting and engraving precision

Speedy lasers are carefully engineered for long-lasting, precise cutting and engraving. Guaranteeing uninterrupted operation over many years.

### Enhanced productivity and flexibility

Experience engraving at a previously unattainable speed. With Speedy's rapid engraving capabilities, you can achieve clear and legible results in record time.

### Cutting-edge laser software

Our Ruby<sup>®</sup> laser software ensures seamless connectivity and compatibility, making design import and transmission swift and efficient from anywhere and with any device.

### Unlock efficiency with a connected solution

Speedy laser machines stand out as the fastest in the market, with emphasis extending beyond mere engraving speed to overall process efficiency. Our laser software, Ruby®, is the central hub for unleashing the full potential of your Speedy laser equipped with our smart electronics. Ruby<sup>®</sup> seamlessly connects Speedy laser machine, exhaust unit Atmos, laser materials, service, and support into a cohesive system, facilitating intelligent monitoring and optimized production.

#### A connected solution:

smart production - smart monitoring - smart maintenance




Choose Speedy to enhance your laser cutting and engraving operations with precision, productivity, and a complete business solution. Elevate your work with Trotec Speedy.

### Speedy Series

All machines in the Speedy series come equipped with InPack-Technology<sup>™</sup> and our advanced laser software, Ruby<sup>®</sup>.

Speedy systems are available with a CO<sub>2</sub> RF laser (wavelength 10600 nm) or as Speedy Flexx, which includes an additional fiber laser with a wavelength of 1060 nm. Speedy 50 is exclusively available with a CO<sub>2</sub> laser.





products.troteclaser.com/speedy-laser




	Speedy 400	Speedy 360	Speedy 300	Speedy 100	Speedy 50
Working area (W x D)	1016 x 610 mm 40 x 24 in	813 x 508 mm 32 x 20 in	726 x 432 mm 29 x 17 in	610 x 305 mm 24 x 12 inch	457 x 305 mm 18 x 12 in
Laser power CO <sub>2</sub>	60 – 120 W	60 – 120 W	30 – 120 W	45 - 80 W	30 W
Laser Power Fiber	20 – 50 W	20 – 50 W	20 – 50 W	20 – 30 W	-
Max. engraving speed	4,32 m/s 170 ips	3,55 m/s 140 ips	3,55 m/s 140 ips	2,8 m/s 110 ips	1,5 m/s 59 ips

## What are the benefits of a Speedy laser machine?




#### **Connected Solution**

Utilize our laser software Ruby®, to seamlessly integrate Speedy laser, Atmos exhaust systems, Trotec materials, and maintenance services into an intelligent solution. Enhance application outcomes and maximize operational efficiency.



### 8x Faster Cutting

Glide effortlessly along curves with OptiMotion<sup>™</sup>. It adjusts cutting speed automatically, ensuring precise contour accuracy and high productivity, ideal for cutting thin materials like foils and vector marking.



### **Durability Meets Quality**

Achieve uniform engraving and intricate details with superior power stability and a fine laser spot. Our patented CeramiCore<sup>®</sup> laser source ensures impressive durability.



### **Endless Possibilities**

Our patented Flexx Technology™ combines CO₂ and fiber lasers, offering versatile applications. Process wood, glass, plastic, and more with just two clicks, simplifying tasks compared to other machines.



### More Engraving, Less Time

Engrave faster than ever, even with small details. The Speedy's advanced drive system and control electronics enable engraving at 4.3 m/s and 5 g, making it the fastest laser engraver on the market.



### Efficient Laser Software

Digitally at its core, Ruby ensures accessibility anytime and anywhere. It achieves compatibility with nearly every program through file importing. Additionally, Ruby seamlessly connects all devices, encompassing lasers and exhaust systems.

### Laser Efficiency with Ruby<sup>®</sup> Software

Ruby laser software is your ultimate tool for efficient laser operation. No need to open customers' layouts separately.

Drag and drop designs into Ruby, regardless of your graphic program's version. Split design and preparation from production. While the laser works on current jobs, prep the next ones. Accessible from PC, Mac, tablet, or mobile, whether you're right by the machine or anywhere within your network.



### Compatibility and connectivity

Ruby ensures digital accessibility at all times, seamlessly connecting various devices, such as lasers or exhaust systems, and is compatible with nearly every program through file importing.

### Your benefit:

- Efficient working with seamless connectivity: All users can work simultaneously anytime and anywhere.
- Increased productivity and streamlined workflows: Files from programs like Illustrator can be uploaded without owning the program.
- Saves time, money, and relieves worries.
- Seamless automation of processes: Importing CSV files for automatic template filling speeds up production and standardizes results.

### Anybody can use the laser

Simple laser access, seamless collaboration, file uploads without program ownership, Ruby<sup>®</sup> saves time and money, with automated processes boosting production speed and standardizing results.

### Your benefit:

- User-friendly interface: Simple and intuitive, reducing training needs for accessibility by anyone.
- Streamlined operations: One program, one efficient process, eliminating the need for printer drivers and enabling direct graphic operations.
- Simplified workflow for all users: No expertise required from file preparation to production for both laser owners and their customers.
- Enhanced security: User activity tracking and prevention of unauthorized alterations.



products.troteclaser.com/ruby

### Full package from machine to service

Choose Trotec, and you're selecting more than a laser machine.

We offer a full solution, encompassing laser software, exhaust systems, materials, training, service, and support – all aimed at ensuring your immediate profitability.



Ruby<sup>®</sup> Laser Software

Efficiency is at your fingertips with Ruby<sup>®</sup> laser software. Accessible from PC, Mac, tablet, or mobile, whether beside the machine or anywhere on your network. Ruby<sup>®</sup> simplifies laser job management.



**Quality Materials** 

Explore our extensive range of laserable materials, gifts, and accessories, all rigorously tested to guarantee superior laser processing outcomes. We handle material testing – you concentrate on your business and customers.



products.troteclaser.com/ruby



products.troteclaser.com/laser-materials



### Efficient Exhaust Systems

For premium engraving and cutting results, dust and fumes must be effectively removed. Our specially designed exhaust systems perfectly complement Speedy lasers, delivering optimal performance.



products.troteclaser.com/atmos-exhaust



When you purchase a Speedy from Trotec, we ensure cost-effective delivery from the nearest supplying plant, often located in your country. Installation is conducted by our local specialists, allowing you to get up and running swiftly.



products.troteclaser.com/installation

**TroCare Service** 

TroCare offers comprehensive coverage for your laser. A single monthly or annual payment includes preventative maintenance, parts, and labor for repairs, ensuring your laser's longevity.



products.troteclaser.com/trocare

# What can you make with a Speedy?

Trotec Speedy customers, spanning diverse industries, manufacture a broad spectrum of products.

With our innovative Flexx Technology™, you can work with materials that typically require two separate machines. This empowers you with unparalleled flexibility and a wide range of application possibilities.



Engrave glasses or bottlees with logos, names, icons and many other designs



Produce interior signage from printed acrylic



Finish leather items with a personal message or branding



Manufacture typeplates using anodized aluminum or other materials



Add value to paper books with fine detail engraving and cutting



Make more money with creative badges or signs



Directly engrave boggles or mugs without pastes or spray



Use Speedy for engraving on slate, marble and many more



Create impressive effects on wooden packages

## What materials can you engrave, cut or mark?

The system can process cutting and engraving of acrylics, woods, textiles, paper and so much more. Scan or follow the link to get the full list of materials.



products.troteclaser.com/material-list

	Engrave	Cut	Mark
Acrylics	$\checkmark$	✓	
Glass	$\checkmark$		
Plastic sheets	$\checkmark$	$\checkmark$	$\checkmark$
Leather	$\checkmark$	$\checkmark$	$\checkmark$
Paper	$\checkmark$	$\checkmark$	
Plastics	$\checkmark$	$\checkmark$	$\checkmark$
Stone	$\checkmark$		
Textiles	$\checkmark$	✓	
Wood	$\checkmark$	✓	
Metal			✓



Cut or engrave textiles like leather, faux leather, felt and many other textiles.



Benefit from high processing speeds on promotional items.




Offer engraved signs using Speedy with Trotec materials



## More features, options and accessories of Speedy

- Exhaust systems: Trotec's Atmos exhaust systems efficiently remove dust and fumes, making them the ideal companion for Speedy lasers.
- Vision Design & Position: For precise positioning on irregularly shaped objects or utilizing residual materials, trust Vision Design & Position.
- \* Vision Print&Cut: A camera with the ability to detect registration marks ensures the precise and efficient cutting of materials adorned with printed graphics or designs.
- flexx Flexx technology : Our patented Flexx Technology<sup>™</sup> combines CO<sub>2</sub> and fiber lasers in one machine, enabling the processing of diverse materials in a single operation.

- Multifunctional table concept: Speedy comes with various tables to ensure optimal engraving and cutting results.
- InPack-Technology: Developed to safeguard sensitive machine components (axis, laser head, optics, lenses) from dirt and dust, ensuring years of trouble-free operation even under heavy use.
- Different focus lenses: Choose from a variety of focus lenses based on your application needs.
- Rotary engraving equipment: Achieve precision on cylindrical, round, or conical objects with our rotary engraving attachment.
- CeramiCore laser source: Our patented laser source concept ensures reliability, high engraving quality, and longevity with a resonator body made of 100% ceramic.



- Pass-through: Effortlessly engrave or cut long and bulky parts and boards.
- **Laser power upgrade:** Upgrade any Trotec flatbed laser machine to a higher laser power at any time.
- ✓ Laser pointer: The laser pointer indicates the exact impact point of the laser beam on the material with a red dot.
- Automatic focusing: With a simple button press, the ultrasonic sensor on the laser head detects the workpiece's surface.
- Temperature sensor: In case the engraving compartment's temperature exceeds a critical level, the laser signals the operator with a warning sound.

- Gas kit: Enhance cutting results on materials like wood by adding compressed air.
- Air assist: The integrated pump protects the lens by preventing dust from adhering to it.
- **Q9** Optimum footprint: A perfect balance between machine size and work area, delivering more flexibility while requiring less space.
- **CE certificate:** Our machines meet all official requirements, ensuring safe operation.
- HDLR technology: Thanks to HDLR High Dynamic Laser Range – Technology™, the smallest details and letters remain lasersharp even at full speed.
- **Touch panel:** Use the computer for job preparation; the touch panel is dedicated to working through the job list.

### Overview





	Speedy 400 Run on Ruby <sup>®</sup>	Flowy	
Working area (W x D)	CO2 Flexx 1016 x 610 mm   40 x 24 in		
Max. height <sup>1</sup> of workpiece		305 mm   12 in	
Loading area (W x D)		x 698 mm   43 x 27 in	
Overall dimensions (W x D x H)		x 1073 mm   56 x 39 x 42 in	
Max. processing speed		4.32 m/s   170 ips 0 m/s²   1969 ips²	
Max. acceleration		less DC servo motors	
Technology motion system			
Laser power CO <sub>2</sub>	60 - 120 W	60 - 120 W	
Laser power fiber		20 - 50 W	
Laser class		2	
Weight <sup>2</sup>	Approx. 295 – 310 kg   650 - 684 lbs	Approx. 335 – 350 kg / 739 - 772 lbs	
Power consumption		0V / 50/60Hz / 10.2 A 5V / 50/60Hz / 15.3 A	
Software			
Ruby®	•	•	
Trotec Vision	0	0	
Functions and Options			
InPack Technology™	•	•	
Smart electronics	•	•	
OptiMotion™		•	
Sonar Technolog y <sup>™</sup>	•	•	
HDLR Technology™			
Touch Panel			
		•	
LED lighting		•	
Harsh environment protection kit	•	•	
Air assist incl. integrated pump	•	•	
2 years warranty	•	•	
Trotec Vision Design & Position	0	0	
Rotary attachment	0	0	
Pass-through conversion kit	0	0	
Gas kit light	0	0	
TroCare	0	0	
Trolley base	•	•	
Multifunctional table concept			
Ferromagnetic table	0	0	
Aluminum cutting grid table	•	•	
Acrylic cutting grid table	0	0	
Cutting table with aluminum and acrylic slats	0	0	
Vacuum table	0	0	
Honeycomb cutting tabletop	0	0	
Acrylic cutting grid tabletop	0	0	
Lenses			
1.5 inch CO <sub>2</sub>	0	0	
2.0 inch CO <sub>2</sub>	•	0	
2.0 inch CO <sub>2</sub> clearance lens	0	0	
2.5 inch CO <sub>2</sub>	0	0	
2.85 inch flexx		•	
3.2 inch fiber		0	
4.0 inch CO <sub>2</sub>	0	0	
4.0 Inch CO <sub>2</sub> 4.0 inch CO <sub>2</sub> clearance lens	0	0	
4.0 Inch CO <sub>2</sub> clearance lens 5.0 inch fiber	J.	0	
Compatible exhaust systems	Atmos Pure 600	Atmos Pure 600	

• Standard • Optional

Depending on lens
Depending on laser power

For further details, please refer to the technical data sheet

.

peedy 360 Run on Ruby <sup>®</sup>		Speedy 300		
CO <sub>2</sub>	Flexx	CO <sub>2</sub>	Flexx	
813 × 508	3 mm   32 x 20 in	726 x	432 mm   29 x 17 in	
	) mm   8 in		200 mm   7.8 in	
890 x 600 mm   35 x 23 in		795 x 440 mm   31 x 17 in		
	66 mm   48 x 33 x 42 in	1130 x 943 x 1054 mm   45 x 37 x 42 in		
	m/s   140 ips	3.55 m/s   140 ips		
	's <sup>2</sup>   1969 ips <sup>2</sup>	50 m/s <sup>2</sup>   1969 ips <sup>2</sup>		
60 - 120 W	DC servo motors 60 - 120 W	Brushless DC servo motors       30 - 120 W     60 - 120 W		
00-120 W	20 - 50 W	30 - 120 W	20 - 50 W	
	20-50 W		2	
Approx. 235 – 250 kg / 518 - 551 lbs	Approx. 270 – 285 kg / 595 - 628 lbs	Approx. 150 kg / 330 lbs	Approx. 215 kg / 474 lbs	
			1 ~ AC 110-230V 50/60Hz, max. 1.4 kW	
1~230V / 50/60 Hz / 9.6 A	50/60 Hz / 14.2 A	1 ~ AC 110-230V 50/60Hz, 0.94 kW - 1.8 kW	1 ~ AC 230V 50/60Hz,	
1 1101 /			max. 1.8 kW (100 - 120 W)	
•		•	•	
•	•	•	•	
0	0	0	0	
•		•	•	
		•	•	
•	•	•	•	
•	•			
•	•			
•	•			
•	•	•	•	
•	•	•	•	
•	•	•	•	
•	•	•	•	
0	0	-		
0	0	0	0	
0	0			
0	0	0	0	
•	•	•	•	
0	0	•	•	
•	•			
0	0			
0	0			
0	0	0	0	
0	0	0	0	
0	0	0	0	
-				
0	0	0	0	
•	0	•	0	
0	0	0	0	
0	•	9	•	
	•		•	
0	0	0	0	
0	0	0	0	
	0		0	
		Atmos Cube		
Atmos Pure 600	Atmos Pure 600	Atmos Pure 300 Atmos Pure 600	Atmos Pure 300 Atmos Pure 600	

			with a
			<b>X</b>
	Speedy 100	ss	Speedy 50
	CO <sub>2</sub>	Flexx	CO <sub>2</sub>
Working area (W x D)		nm   24 x 12in	457 x 305 mm   18 x 12 in
Max. height <sup>1</sup> of workpiece		m   6.7 in	141 mm   5.5 in
Loading area (W x D)		n   27 x 13.6 in	510 x 380 mm   20 x 15 in
Overall dimensions (W x D x H)		mm   40 x 31 x 18 in	726 x 447 x 672 mm   29 x 18 x 27 ir
Max. processing speed		110 ips)	1.5 m/s   60 ips
Max. acceleration		1575 ips <sup>2</sup>	35 m/s <sup>2</sup>   1378 ips <sup>2</sup>
Technology motion system		C servo motors	Brushless DC servo motors (X axis
Laser power CO <sub>2</sub>	45 - 80 W	60 - 80 W	30 W
Laser power fiber		30 W	
Laser class		2	2
Weight <sup>2</sup>	Approx. 95 kg / 209 lbs	Approx. 150 kg / 330 lbs	approx. 53 kg / 117 lbs
Power consumption	1 ~ AC 110-230V 50/60Hz, 0.83 kW - 1.3 kW	1 ~ AC 110-230V 50/60Hz, 1.3 kW (60 W)	1 ~ AC 110-240V 50/60Hz, 800 W
Software			
Ruby <sup>®</sup>	•	•	•
Trotec Vision	-	-	-
Functions and Options			
•		•	-
InPack Technology™	•	•	•
Smart electronics			•
OptiMotion™	•	•	•
Sonar Technology™			
HDLR Technology™			
Touch Panel			
LED lighting	•	•	
Harsh environment protection kit			
Air assist incl. integrated pump	•	•	•
2 years warranty	•	•	•
Trotec Vision Design & Position			
Rotary attachment	0	0	0
-	0	0	0
Pass-through conversion kit			
Gas kit light			
TroCare	0	0	0
Trolley base	0	0	0
Multifunctional table concept			
Ferromagnetic table	•	•	•
Aluminum cutting grid table			
Acrylic cutting grid table			
Cutting table with aluminum and acrylic			
slats			
Vacuum table			
Honeycomb cutting tabletop	0	0	0
Acrylic cutting grid tabletop			
Lenses			
1.5 inch CO <sub>2</sub>	0	0	0
2.0 inch CO <sub>2</sub>	•	0	•
2.0 inch CO <sub>2</sub> clearance lens			
2.5 inch CO <sub>2</sub>	0	0	0
2.85 inch flexx		•	-
3.2 inch fiber		0	
		0	
4.0 inch CO <sub>2</sub>			
4.0 inch CO <sub>2</sub> clearance lens			
5.0 inch fiber		0	
Compatible exhaust systems	Atmos Cube Atmos Pure 300	Atmos Pure 300	Atmos Cube Atmos Pure 300

• Standard

O Optional

Depending on lens
Depending on laser power

For further details, please refer to the technical data sheet

### About Trotec

Leading international developer and manufacturer of laser machines.

### Home of all laser users

Our vision is to be a "home" for all laser users. A place where you get technology, opportunities, guidance and – above all – answers. Along the way, we're making work simpler, faster and more profitable for laser users. We're setting new standards. Day after day. To be successful today and tomorrow.



### Where you can find us worldwide.

Our extensive range of first-class laser engravers, laser cutters and laser markers and the large portfolio of laser materials paired with an unrivaled service have made Trotec the technology leader in the industry.

We have 16 sales offices, more than 50 showrooms and 113 sales partners worldwide. Our machines are currently used in more than 90 countries around the world. Wherever you are, we're close by.



products.troteclaser.com/about-trotec

### TROTECLASER.COM



Trotec Laser GmbH Austria T +43 7242 239-7777 trotec@troteclaser.com

Trotec Laser, Inc.

USA T: 866-226-8505 sales@troteclaser.com

Trotec Laser Canada Canada T: +1 800 663 1149 canada@troteclaser.com

Trotec Laser Ltd

United Kingdom T +44 (0)191 580 1182 enquiries@troteclaser.co.uk

Trotec Laser Pty Ltd Australia & New Zealand T: 1300 876 832 / +612 64135904 info@troteclaser.com.au

Trotec Laser South Africa South Africa T +27/11/262-1400 info@troteclaser.co.za

f //TrotecLaserOfficial
/@TrotecLaserEngraving
in /company/troteclaser
/troteclaser

∂ /@troteclaser



Subject to change without notice. Errors and omissions reserved. Issue 06/2024